


Slip-Resistant Pads for Chair Mats

As hard floors differ, the number of pads needed to significantly reduce slip may also be different from floor to floor.


However, in most cases one pad applied in each corner of your chair mat should be sufficient to provide substantial slip resistance.

For best results, we recommend allowing the pad sheet(s) to warm up to room temperature before removing the individual pads from the sheet(s).

- 1 • Turn your chair mat over, so that the smooth underside is facing upwards.
- 2 • Give the mat a quick clean with warm water and allow to dry.
- 3 • Peel a pad from the sheet and press into place in one corner of your chair mat - *do not remove the protective film on the top of the pad.*
- 4 • Repeat so that you have one pad in each corner of your mat.
- 5 • Now remove the protective film from the top of each pad.
- 6 • Turn your mat over and place it in your desired position on the floor.
- 7 • Press down on your mat, above wherever you have positioned a pad.
- 8 • Add extra pads as needed to further reduce mat slip.




Rectangular
Chair Mat



Chair Mat
with Lip



Remove the protective film from
the top of each pad once
all are in place



- 9 • To remove or replace pads, gently roll the pad with your fingers until it comes loose. If necessary, for additional help in pad removal, gentle heat can be applied using a hair dryer on a medium setting.

- Your Slip-Resistant Pads are suitable for all types of hard floor. • They will not affect or damage lacquered flooring.
 - However, if you have any concerns, we recommend that you test your flooring by applying a single pad in a discreet area and leave for at least 1 week to see if there are any detrimental effects.